



**"INNOVATIVE DUSTLESS CONCRETE  
EQUIPMENT"**

**WWW.JOEDUE.COM**

N5437 US Hwy 12 & 16

P.O. Box 134 Mauston, WI 53948

Toll Free: 877-563-3383

Office: 608-847-6627 Fax: 608-847-6027

info@joedue.com





# Table Of Contents

• FAQ	
• Dust Avengers- Dustless Surface Grinding	
• Dust Avenger 007.....	6
• Dust Avenger 005.....	7
• Dust Mizers- Dustless Handheld Cutting	
• Dust Mizer 007.....	8
• Dust Mizer 005.....	9
• Components For Avengers & Mizers.....	10
• Dust Cobra.....	11
• Handheld/Stihl cart	
• Vacuums/Dust Collection Unit	
• Ginger Vac/Little Red.....	12
• Gas Cannister Vac .....	13
• Dustless Crack Saws (Random Cracks)	
• Original Sidewinder.....	14
• Loop Saw/Crack Attacker.....	15
• Dustless Joint Saws (Straight Cut)	
• Hump back/Backer Packer.....	16
• Up cut/Down Cut.....	17
• Power pusher	
• W/ Joint Saw, W/ Scraper Attachment.....	18
• The Blade & The Scraper.....	19
• Abrasive disks- Coating Removal	
• Taz/Zecs - .....	20
• Diamond Blades	
• Crete Mowers & Dymacerts™ .....	21
• 7” Premium Cupwheels.....	22
• 4, 4.5” Premium Cupwheels.....	23
• Crack Chasing V-Blades/Bevel Blades.....	24
• Thin Saw Blades/ 12” & 14” .....	25
• Tuckpointer/Sandwich Blades.....	26
• Order Form.....	27
• Terms & Conditions.....	28

**Why is there a fish on your logo?**

Joe Due is an avid fisherman and the logo reflects his love for the outdoors. He would rather talk fishing than business. See the Staff Page for examples.

**How does the ordering process work?**

**Online:** Browse the website and any items that you wish to purchase just click the "Add to Cart" Icon. You may add/ delete items from you cart at any time before checkout.

When Checking out you will see all items you have chosen along with a product total that subtracts any discounts you qualified for.

You will be asked to fill in all your company/ payment information on our secure website.

You will then choose your shipment method. Please be sure to select the correct service if your product is needed by a certain day. Any orders submitted afer 3pm CST will be processed the next day. Only business days count in the time in transit. (i.e. if you select UPS Blue 2-day service on Thursday, your item will arrive sometime on Monday)

Submit your order and print your confirmation. You will receive an automatic email from us when your item ships - typically about 4:30pm CST the day it leaves.

We will invoice the order/ process you C/C for payment within a day or so and then you will receive a receipt copy via email only.

**Phone:** We will always take orders over the phone also. Some items may not be ordered over the phone and recieve special pricing however, like monthly specials and special deals/ packages. We do this to give incentives to order online and to encourage website traffic.

**What is the Warranty on items you sell?**

We do not have a specific Warranty Policy but we stand behind the items we sell. If you are unhappy with performance of your product please call a customer rep to discuss the issue.

See the return/ restocking policy for items that do not meet your expectations. Items not manufactured by us have their full Manufacturer warranty (Metabo, Honda etc).

**What discounts are available to me?**

When placing an online order with a credit card, you will automatically receive a discount of up to 10% off total in stock merchandise. Greater item quantity in conjunction with credit card payment will result in a greater discount. Some equipment not manufactured by JDBE (EDCO, SAWTEC, RUWAC etc) may not qualify for the full 10% discount at our discretion. Please inquire for specifics.

**Can I create an Account with your company?**

Yes, we will sell on account but only after 1 year of sales history. Please call for a credit application. Terms are typically net 30. However, anything sold on account is not eligible for any discounts, list pricing applies to all items.

**How do I return an item?**

All returns must be approved by a sales associate. All returned packages must include a written description of the items, any invoices and a proposed solution (i.e. check, credit, or replacement item).

**Is there a re-stocking fee on returned items?**

Any unused items returned within 30 days are eligible for full credit, less any shipping costs. Any items returned damaged, used or between 30 days and 6 months are subject to a 20% re-stocking fee. No credit of any kind will be given on items over 6 months old, damaged or custom/special ordered.

**Can you manufacture custom equipment?**

No, we can no longer provide this service as it is not cost effective for either party involved to do so.

**Are you an authorized repair center?**

No, but we are happy to direct you to a local professional who will suit your needs.



**Shipping****When will my order ship?**

Orders placed by 3:00 p.m. CST are *usually* shipped the same day via UPS, as long as they are in-stock items.

**Tracking My Package.**

Our computer system will email you a tracking number when your package ships. Or you can call and we can give it to you over the phone. You can track your package at [www.ups.com](http://www.ups.com).

**How long will my order take to get to me?**

Please see [UPS ground time-in-transit map](#). We can ship next day air, second day air or three day select at an added cost.

**UPS Service Days:**

UPS runs M-F and time in transit reflects business days only. Orders placed after 3pm CST or on weekends will be shipped the following business day. Items will be shipped via method selected during the checkout process so be sure to select the correct one if you need product by a certain day. UPS.com has a time in transit map where you can punch in your Zip Code to get an accurate delivery schedule. Our Zip code is 53948. UPS may not run on Federally recognized holidays also.

**How much does shipping cost?**

There are several factors that determine shipping cost. Destination, Weight, Selected Service, Number of packages, and Value of merchandise.

Our website is set up with automatic shipping charges through the checkout process. However, if many heavy items are ordered, or in conjunction with a truck item, the computer may zero out the freight charges online. We will charge you S&H when calculated at ship time. Large equipment has to be shipped via truck with freight determined at ship time also. Call for Estimates if unsure.

**You want your item shipped with another carrier besides UPS?**

You are more than welcome to fax us the paperwork necessary to do so. We do not have accounts with other companies and can not setup the pick up of your order.

**International Orders:** We ship items all over the world via UPS. Call/ email for freight quotes.

**Truck freight charges:** (Varies greatly, please call for estimates.)

We use different freight carriers depending upon destination.

**Billing****When will I receive my invoice/ receipt?**

You will typically receive your invoice/receipt via email in a day or two.

**Can my invoice be faxed to me?**

In the interest of time, we prefer to email or mail your invoice/receipt.

## Dust Avenger - Dustless Surface Grinding

A 7" Dustless Handheld Surface Grinder Assembly. Complete with Durable Urethane Shroud, Adapting collar, Flower Washer, Diamond Cupwheel Adaptor nuts, 8' 2 1/2" hose and Spanner wrench. A 7" 23-230 Metabo Grinder, 15amp 6600 RPM with Loop handle is included. Shrouds will last years with continued use and have been proven with 10+ years in the field.

### Dust Avenger 007 Assembly

**JD - 700GVC**



#### Ideal for:

- Dustless surface grinding
- Edging against walls where planetary grinders/ Shot blasters will not reach
- Convertible Shroud allows for edging and open floor grinding
- Removing coatings/ glue/ thinset
- Cleaning/ profiling concrete
- Leveling high spots/ paint removal
- Indoor/ outdoor use with conventional Shop-Vac

### Dust Avenger 007 Shroud Kits

All 7" convertible shroud kits are make/ model specific. We have adapting collars to fit most popular makes like Metabo, DeWalt, Bosch, Milwaukee, Makita, Hitachi, Fein and Hilti. See website for an updated list of collars we currently manufacture.

Kit includes Urethane Shroud, Adapting Collar, Flower washer, cupwheel adapting nuts, 8' 2 1/2" hose and a Spanner Wrench.

#### **Related Products (p. 6 & 7):**

For Vacuums please see pages 12 & 13  
Cupwheels and Abrasive disks see pages 20, 22, 23



**JD - 700KCU**

**Check out [www.joedue.com](http://www.joedue.com) for package deals and online specials**

Toll Free: 877-847-6627 Office: 608.847.6627 Fax: 608.847.6027 [www.joedue.com](http://www.joedue.com)



# Dust Avenger - Dustless Surface Grinding

A 5" Dustless Handheld Surface Grinder Assembly. Complete with Durable Urethane Shroud, Adapting collar, Flower Washer, Diamond Cupwheel Adaptor nuts, 8' 2.5" hose and Spanner wrench. A 5" 14-125 Plus Metabo Grinder, 12amp 7000-10,500 RPM is included. Shrouds will last years with continued use and have been proven with 10+ years in the field.

## Dust Avenger 005 Assembly

**JD- 500GVC**



### Ideal for:

- Dustless surface grinding
- Grinding walls for waterproofing
- Removing coatings/ glue/ thinset
- Cleaning/ profiling Concrete
- Leveling high spots/ paint removal
- Indoor/ outdoor use with conventional Shop-Vac
- Cut shroud available for edging

## Dust Avenger 005 Shroud Kits

Kit includes Urethane Shroud, Adapting Collar, Flower washer, cupwheel adapting nuts, 8' 2.5" hose and a Spanner Wrench.

All 5" shroud kits are make/model specific. We have adapting collars to fit most popular makes like Metabo, DeWalt, Bosch, Milwaukee, and Fein. See website for an updated list of collars we currently manufacture.

Choose a full shroud for open floor grinding or we can cut it for use as an edger.



**JD- 500KCU**

**Check out [www.joedue.com](http://www.joedue.com) for package deals and online specials**

Toll Free: 877-847-6627 Office: 608.847.6627 Fax: 608.847.6027 [www.joedue.com](http://www.joedue.com)



## Dust Mizer - Dustless Cutting

A 7" Dustless Cutting Assembly. Complete with Durable Stainless Steel Shroud with clear lexon cover, Adapting collar, Diamond Blade Adaptor nuts, 8' 2 1/2" hose and Spanner wrench.

A 7" 23-230 Metabo Grinder, 15amp 6600 RPM grinder with loop handle is included. Shrouds will last years with continued use and have been proven with 10+ years in the field.

### Dust Mizer 007 Assembly

**JD-7CCR**



**Ideal for:**

- Dustless:
  - Cutting
  - Crack Chasing
  - Tuckpointing

With Great Visibility!
- Cleaning out joints
- Cutting slab
- Adjustable Depth Shoe  
(up to 1 3/4" max depth w/ a 7" Blade)
- Accepts up to a 3/8" (.375) Wide Blade
- Indoor/ outdoor use with conventional Shop-Vac

### Dust Mizer 007 Shroud Kits

Kit includes Stainless Steel Shroud with Lexon Window, Adapting Collar, Diamond blade adapting nuts, 8' 2 1/2" hose and a Spanner Wrench.

All 7" shroud kits are make/model specific. We have adapting collars to fit most popular makes like Metabo, DeWalt, Bosch, Milwaukee, Hitachi, Makita, Hilti and Fein. See website for an updated list of collars we currently manufacture.

**Related Products (p. 8 & 9):**

For Vacuums please see pages 12 & 13  
Diamond blades see pages 24-26



**JD-7CDC**

**Check out [www.joedue.com](http://www.joedue.com) for package deals and online specials**

Toll Free: 877-847-6627 Office: 608.847.6627 Fax: 608.847.6027 [www.joedue.com](http://www.joedue.com)



## Dust Mizer - Dustless Cutting

A 5" Dustless Cutting Assembly. Complete with Durable Stainless Steel Shroud with clear lexon cover, Adapting collar, Diamond Blade Adaptor nuts, 8' 2 1/2" hose and Spanner wrench. A 5" 14-125 Plus Metabo Grinder, 12amp 7000-10,500 RPM is included. Shrouds will last years with continued use and have been proven with 10+ years in the field.

### Dust Mizer 005 Assembly

**JD-5TPA**



**Ideal for:**

- Dustless:
  - Cutting
  - Crack Chasing
  - Tuckpointing
- With Great Visibility!
- Removing old mortar from Brick
- Decorative Scoring/ Cutting Tile
- Adjustable Depth Shoe  
(up to 1" max depth w/ 5" Blade)
- Accepts up to a 3/8" (.375) Wide Blade
- Indoor/ outdoor use with conventional Shop-Vac

### Dust Mizer 005 Shroud Kits

Kit includes Stainless Steel Shroud with Lexon Window, Adapting Collar, Diamond blade adapting nuts, 8' 2 1/2" hose and a Spanner Wrench.

All 5" shroud kits are make/ model specific. We have adapting collars to fit most popular makes like Metabo, DeWalt, Bosch, Milwaukee, and Fein. See website for an updated list of collars we currently manufacture.



**JD-5TPP**

Check out [www.joedue.com](http://www.joedue.com) for package deals and online specials

Toll Free: 877-847-6627 Office: 608.847.6627 Fax: 608.847.6027 [www.joedue.com](http://www.joedue.com)





## Components for Avengers & Mizers



- **Dust Avenger 007 Convertible Edging Shroud**  
**74 015**



- **Dust Avenger 007 Full Shroud**  
**74 005**



- **Flower Washer 007**  
Flower shaped washer protects Avenger from cupwheel  
**JD FLO**



- **Dust Mizer 007**  
Stainless Steel Shroud Only  
**73 502**



- **Metabo Grinder 5"**  
14-125 12 amp  
7000-10500 RPM  
**03-1415**



- **Blade Nut**  
Cupwheel adaptor nut  
**03-1010**



- **Arbor Nut**  
Cupwheel Adaptor nut  
**03-1000**



- **Hose**  
2.5" Shop Vac hose  
**02-89**



- **Dust Avenger 005 Full Shroud**  
**70 005**



- **Dust Avenger 005 Cut Shroud for Edging**  
**70 010**



- **Flower Washer 005**  
Flower shaped washer protects Avenger from cupwheel  
**JD SFLO**



- **Dust Mizer 005**  
Stainless Steel Shroud Only  
**73 500**



- **Metabo Grinder 7"**  
23-230 15amp  
6600 RPM  
**03-2323**



- **Loop Handle**  
G Shaped Handle bolts onto 7-9" Metabo Grinder  
**JD-Loop**



- **Collar**  
Adapting Collar for Shrouds to Grinder—  
Make/ Model Specific



- **Spanner Wrench**  
Wrench fits into Blade Nuts and AVM nuts  
**98-1000**

# Dust Cobra

## Handheld

- Finally, a Real dry cutting dust shroud for gas cut-off saws!
- Very Durable - Contractor Tough
- Triple (or more) the life of your saws
- Saves Cleanup
- Save your Health
- Improves customer satisfaction
- No extra drilling holes in your saw or extra saw mutilation to install
- 4" dust port allows vac to keep up with saw's volume of dust
- Fits Cutoff Saws like Stihl's TS 400



**JD-Cobra**



## Stihl Cart



**PATENT  
PENDING**

### Additional Information

- Patent Pending
- An Auxiliary vacuum is necessary
- Easy and quick Installation
- Detaches in less than a minute
- Non-marking wheels
- Works best on a down cut (pushing)

### Related Products:

Canister Vac p. 13  
12" & 14" Blades p. 25

**Don't use Stihl? Stay tuned as we are adding different makes and models of powercutting saws as soon as we can.**

## Vacuums

### Ginger Vac

#### Ideal For:

- Light/ Medium Duty
  - Keeps up with one Avenger or Mizer
  - Light weight - Economical
  - Concrete Dust Filtration
  - "Tool on" Technology
- 
- 125 CFM Vacuum. Lightweight and Economical.
  - Has a 1 Micron cartridge filter ideal for concrete dust.
    - Filter should last a few months with intermittent use
  - Accepts a 2½" hose.
  - Has outlet on vac to run grinder with auto shutoff/on.
  - 9 Gallon dust bin. 110V 9amp motor.
  - Can Ship UPS



JD GINGER

### "Little Red" 2 Motor Ruwac

- Designed for continuous duty
- Not designed to keep up with Walk Behind Saws
- Self- contained manual shaker bar filter cleaning system
- .5 micron filter with 13 sq. ft. of filter material will last 3 to 5 years with continued use
- 110V - 200CFM - 97 inches H2O lift
- 9 gallon easily removable dust pan
- 25 foot 2 ½ crush-proof hose included
- Will keep up to 2' 7" grinders, tuckpointers or handheld saws with optional Y adaptor
- Dry use only
- Very durable plastic body
- Weighs about 75 lbs.
- Dimensions approx. 32" L x 20" W x 35" H
- Accessories available - HEPA filtration dry use only, sweeper attachment, floor wands, silencers and much more
- Ships by Truck



02 090



# Vacuums

## Canister Vac - Gas

The Canister Vac is designed to be an inexpensive, mobile and very versatile blower style vacuum. Best used with larger equipment and/ or where electricity is not available. Vac is designed to control/ contain a great volume of airborne concrete dust particles.



02-247G

### Ideal For:

- Walk Behind Joint Saws
- Walk Behind Crack Saws
- The Dust Cobra
- Planetary Surface Grinders
- Scarifiers
- Replacement for the "Maxi Vac"



- 4 hp Honda Gas engine (02-247G)
- Catalytic Available
- Designed to move a lot of air to keep up to Walk Behinds
- Not Set up for Soff Cut™
- Cartridge Filter – no more cloth bags
- Self Contained Shaker Filter Paddles
- 9 Yards of Filtration - .5 Micron
- Heavy Duty Steel frame

- Aluminum Housing, Dump Bin And Protective Filter Cover
- 9 Gallon Dust Bin with easy dump handle
- 1300 CFM
- Has Draw bar to pull behind Saws
- Extra Gaskets to seal dump bin and filter
- Dimensions 48"L X 30"W X 48"H
- 160lbs
- Includes 10' of heavy duty 4" hose
- Must Ship By Truck

## Dustless Crack Saws - Random Cracks

### Original Sidewinder

Standup, Dustless pull-behind crack chasing saw. Saw is light weight (70 lbs.) with crazy wheels for easy maneuvering and accurate cutting. The original Patented Sidewinder has 25 years in the field.



#### JD SIDE

- 6.5hp Honda motor
- Designed to cut up to 1/2" deep with a 5" Diamond V-Blade
- Adjustable depth –
  - Accepts up to a 6" blade (1" Deep Cut)
- Catalytic converter available
- Blade guard opening allows for excellent visibility -
- 10ft of 4" heavy duty hose included
- 1) 5" X .375 V- Blade included with saw

#### Ideal For:

- Cutting random cracks and can do it dustless
- Cut 10 ft of crack a minute or about 3000 ft/ day
- Cuts Dry
- No spalling; leaves rectangular or V-Cut
- Easy to Maneuver
- Walk Backwards with the Saw



#### Related Products:

Canister Vac p. 13  
 Ginger Vac p. 12  
 Crack Chasing V-Blades p. 24

# Dustless Crack Saws - Random Cracks

## Crack Attacker



**JD 5CD**

- Dustless Crack Chasing Grinder on a Dolly
- Includes 5" Metabo Grinder, adaptor, nuts, reducer and wrench
- Auxiliary vacuum needed (2½" Hose included)
- Cuts up to 5/8" deep with a 5" V-Blade (included)
- Great for smaller jobs
  - 500' of crack or less
- Cuts 5' of crack a minute
- Adjustable depth set
- Accepts up to 3/8" wide blade
- Easy to maneuver with swivel castors
- You walk backwards with it
- Great visibility – flashlight included
- Lightweight – about 35 lbs
- Ships via UPS

## Loop Saw

- Dual Purpose
  - Heavy Duty Crack Saw
  - Loop Cutting Saw
- Free Cuts Random Cracks Dustless
- 13hp Honda can cut up to
  - 2" Deep with an 8" V-Blade
- Bigger Version of the 6.5hp Sidewinder-
  - Use if cutting greater than 1/2" deep or 3/8" wide
- 24" Dust ports
- 10', 4" Hose Included
- 1 8" x 375 V Blade Included
- Must ship by truck



**JD-SIDE2**



## Dustless Joint Saws - Straight Cut

### Humpback

- Includes 1) 23-230 15 amp 6600 RPM Metabo grinder, Dolly, 10" Stainless Steel Dust Shroud
- Also includes 8' 2½" hose, set of Blade adapting nuts, spanner wrench
- Includes 1) 10"x .095 Diamond Blade
- Electric Upcut Joint cleanout saw straight cut
- Auxiliary vacuum is necessary
- Unique upcut design for adjustable depth plunge cut
- Bends in middle keeping front end down to minimize dust from escaping
- Capacity for 7" or 9" grinder
- Will accept a 7", 8" or 10" blade up to 3/8" wide
- 1.5, 2, 3" deep cuts)
- Will cut 5 inch feet per minute - 1500 ft/ day
- Has adjustable Depth Set



**JD-Hum7**

#### Related Products:

Canister Vac p. 13  
Ginger Vac p. 12  
Thin Saw Blades p. 25

### Backer Packer

- Capable of up to 5/8" Diameter backer rod
- Holds a 640' spool of 1/4" diameter backer rod
- A solid guide will make the job a breeze
- First wheel starts the job, while the second wheel pushes to desired depth
- Weight can be added on the base but is seldom needed
- Designed for easy one person operation
- Saves Labor
- Must Ship by Truck



**JD 6CD**

# Dustless Joint Saws - Straight Cut

## Upcut Joint Saw



**JD-UPJOIN**

- 13 hp Honda (shown)
- Upcut saw for better dust collection
- Joint Cleaner
- Cuts closer to wall
- Attaches with quick pin to power pusher to aid in labor of pushing the upcut saw
- Saw maintains depth
- 4" Dust port with 10' of heavy duty hose included
- Window in guard to aid in seeing the joint
- Plunge cut adjustable depth set
- 10" diameter blade guard standard
- 3½" Maximum depth w/ 10" blade
- 1, 10" x .095 Diamond blade included
- High torque-cutting application
- Catalytic converter available
- Simple design with the operator in mind
- Must ship by truck

## Downcut Joint Saw

- Cuts to within 3 inches of wall
- Has front and rear line guide
- Dual port vacuum shroud for dry cutting with 4" ports
- 10' of heavy duty hose included
- Capable of handling 2 blade channel cut 1 ¼" wide
- 8" x .095 Diamond Blade included
- Large diameter wheels for easy maneuvering
- Catalytic converter available
- Quick set plunge cut to preset depth
- 13 HP Honda Gas Engine
- Cut 2 ¼" deep with an 8" blade
- Will cut 10 inch-feet a minute
- Push = Downcut
- Pull = Upcut
- Must ship by Truck



**JD-JOIN**

## Power Pusher

### W/ Super Scraper Attachment

Self propelled 24 Volt Power Pusher with Super Scraper Attachments. Scrape miles of joints with only one person. Saves labor and time.



JD-6000

#### Power Pusher

- Built in charger
- 24 volt – 10 hours before recharge
- variable speed
- non marking tires
- No fumes
- No Cords
- Silent operation

#### Scraper Attachment

- 10,000 linear feet per day
- Quick pin disconnect
- Tray for adding weight
- 8" scraper heads w/ 5' handles
  - crisscrossed to avoid binding
- 500,000BTU Torch Kit available
  - (Shown on top)
- Remote propane fuel adjustment
- Holders for 2 Propane tanks (Tanks Not included)

### W/ Upcut Joint Saw

#### Upcut Joint Saw Attachment

- Quick pin disconnect
- Makes cutting joints a breeze
- Variable speed
- See Joint saw page for specs



#### Related Products:

Diamond Saw blades page 24, 25, 26  
The Blade & the Scraper page 19

## “The Blade” & “The Scraper”

### “The Blade”



- An attachment for SDS-MAX sized rotary hammers.
- Removes tile, coating, and all types of high build systems.
- 4" blade that may be re-sharpened.

02-94

4" spare blade

02-93

### “The Scraper”

- Available in 4" or 8" handscraper heads.
- 1', 20", and 5' handles available.
- Ideal for scraping polyurea or epoxy off overfilled joints.





## Abrasive Disks - Coating Removal

### Taz Disks

Same Performance and life as a Zec Disk but less expensive! Take off Mastic, Urethane, Thinset, glue, fiberglass, other coatings etc. Will not plug up like diamonds. Will not grind or harm concrete. Only 8 grit and 16 grit available. Use an AVM nut to use disk under Dust Avengers! 1-2 hours of life, up to a couple hundred square feet. 7/8 arbor.

<u>Model</u>	<u>Item</u>	<u>Description</u>
96 7161	7" 16 Grit Taz	Most popular
96 7081	7" 8 Grit Taz	Most Aggressive
96 TAVM	Tall AVM	Adaptor to use under Dust Avenger 007
96 451	4.5" 16 Grit Taz	Most popular
96 4081	4.5" 8 Grit Taz	Most Aggressive
96 SAVM	Short AVM	Adaptor to use under Dust Avenger 005
Spanner	Spanner Wrench	Wrench for AVMs



### Zec® Disks

Remove thicker coatings, mastic, urethane, glue, thinset, and fiberglass. Will not grind or harm concrete. Use AVM nuts to use disks under Dust Avengers. Various grits available. 7/8 arbor.

<u>Model</u>	<u>Item</u>	<u>Description</u>
96 7160	7" 16 Grit ZEC	Most popular
96 7080	7" 10 Grit ZEC	Most Aggressive
96 7240	7" 24 Grit ZEC	
96 7360	7" 36 Grit ZEC	Least Aggressive
96 TAVM	Tall AVM	Adaptor to use under Dust Avenger 007
96 450	4.5" 16 Grit ZEC	Most popular
96 4524	4.5" 24 Grit ZEC	
96 4536	4.5" 36 Grit ZEC	Least aggressive
96 SAVM	Short AVM	Adaptor to use under Dust Avenger 005
98-1000	Spanner Wrench	Wrench for AVMs





# Crete Mowers, Dymacerts & 10" Cupwheels



10" 20 segment  
crete mower  
**06 2000**

- (fits EDCO, Welco, or Diamond Products' surfacer)



Quad Plate  
**100 1031**

- Dyma-cert economic alternative
- Fits all machines that take dyma-certs
- Premium quality with equivalent life
- Requires holding cases and/or wedges



Dyma-certs™  
**100 1002**

- 4 segment grinding disk for EDCO grinder
- May need holding case (100-1001)



Diamond Product's  
version of the Dyma-cert  
**100 103**

- 4 segment grinding disk for EDCO grinder
- Built-in holding case



10" 36 Segment Turbo  
Cupwheel  
5/8-11 Threaded  
**06 3657**

- Fits Sawtec<sup>o</sup> 10" surface grinder



10" T-Segment Cupwheel  
5/8-11 Threaded  
**06 T75**

- Hybrid of the 24 segment and Super Turbo



10" Super Turbo Cupwheel  
5/8-11 Threaded  
**06 1858**

## 7" Premium Cupwheels



### Most popular

7" 24 segment turbo,  
5/8-7/8

07 2457

7" 24 segment turbo,  
5/8-11

07 2458

- Smooth finish, no horseshoe marks
- Great general purpose cupwheel



7" 24 segment turbo, 5/8-7/8 hard  
bond

07 2457HB

7" 24 segment turbo, 5/8-11 hard  
bond

7" 2458HB

- Grinding epoxy toppings
- Made for softer concrete areas



7" 18 segment super turbo, 5/8-  
7/8

07 1857

7" 18 segment super turbo, 5/8-11

07 1858

- Larger diamonds equals better profile
- Best for light coating removal
- Aggressive grinding



7" 24 segment turbo Fine-Threaded

07 2458F

7" 24 segment turbo Medium Threaded

07 2458M

- For smoother finish than regular 24 segment
- Fine grit is 100/120 grit • Medium grit is 60/80 grit



7" T-segment, 5/8-7/8

07 T77

7" T-segment, 5/8-11

07 T75

- Less profile than the Super Turbo
- Hybrid of the 24 segment and Super Turbo
- More aggressive than the 24 segment



7" 12 segment turbo, 5/8-7/8

07 1257

7" 12 segment turbo, 5/8-11

07 1258

- Better for coating removal

- No horseshoe marks
- More aggressive than the 24 segment



7" L segment  
5/8-7/8 Unthreaded

07 LSEG

- 5/8-7/8 arbor only
- 16 segments- Will work under Dust Shroud with correct adaptor
- Good for coating removal



7" turbo soft bond

07 1258SB

- For use on very hard concrete where normal cupwheels glaze over



PCD  
5/8-11 threaded only

07 PCD

- Specifically designed to aggressively remove coating from concrete
  - 2 rows of little teeth are very hard
- Poly Crystalline Diamond (PCD) and tear through coatings very quickly • Will fit under shroud kits



7" double row, 5/8-7/8

07 DR57D

7" double row, 5/8-11

07 DR58

- Old Favorite
- Leaves horseshoe marks for more profile on thicker overlays.



7" single row, 5/8-7/8

07 SR57

7" single row, 5/8-11

07 SR58

- Leaves horseshoe marks
- More aggressive

## 4" & 4.5" Premium Cupwheels



4.5" 18 segment turbo  
5/8-7/8 Untreaded  
**05 1857**  
5/8-11 Treaded  
**05 1858**

4" 18 segment turbo  
5/8-11 Untreaded  
**04 1757**  
5/8-11 Treaded  
**04 1758**

- Smooth finish
- No horseshoe marks
- Most popular



4.5" 9 segment turbo  
5/8-7/8 Untreaded  
**05 957**  
5/8-11 Treaded  
**05 958**

4" 9 segment turbo  
5/8-7/8 Untreaded  
**04 957P**  
5/8-11 Treaded  
**04 958P**

- Smooth finish
- No horseshoe marks
- Better for coating removal



4.5" super turbo  
5/8-7/8 Untreaded  
**05 1757**  
5/8-11 Treaded  
**05 1758**

4" super turbo 5/8-7/8  
Untreaded  
**04 1757**  
5/8-11 Treaded  
**04 1758**

- Thinset/ thin coating removal
- Better bonding profile



4.5" T- Segment  
5/8-7/8 Untreaded  
**05 T77**  
5/8-11 Treaded  
**05 T75**

4" T-Segment  
5/8-7/8 Untreaded  
**04 T77**  
5/8-11 Treaded  
**04 T75**

- Hybrid of 18 seg turbo and super turbo
- More aggressive than 18 seg
- Less profile than a super turbo



4.5" T- Rex (PCD)  
5/8-11 Treaded  
**05 PCD**

4" T-Rex (PCD)  
5/8-11 Treaded  
**04 PCD**

- Aggressive removal of coatings
- Very Hard Poly Crystalline Diamond (PCD) teeth tear through coatings quickly
- Life Varies



4.5" double row, 5/8-7/8  
**05-DR57**  
4.5" double row, 5/8-11  
**05 DR58**

4" double row, 5/8-7/8  
**04 DR57**  
4" double row, 5/8-11  
**04 Dr58**

- Old favorite
- Leaves horseshoe marks for more profile on thicker overlays



4.5" single row, 5/8-7/8  
**05 SR57**  
4.5" single row, 5/8-11  
**05 SR58**

4" single row, 5/8-7/8  
**04 SR57**  
4" single row, 5/8-11  
**04 SR58**

- Leaves horseshoe marks
- More aggressive than double row

## Diamond Blades

### Crack Chasing V-Blades

- Routing out random cracks
- Decorative scoring
- Cut twice as fast and use half the filler Material
- Premium Quality Lasered Segments
- Dry or Wet Cut



Model/ Item	Description	Part #
4 x .250 V	4" x .250 V-Blade, 5/8-7/8, Premium Dry	30-425
4 x .375 V	4" x .375 V-Blade, 5/8-7/8, Premium Dry	30-4375D
4 x .375 V-T	4" x .375 V-Blade- THREADED	30-4375T
4.5" x .250 V	4.5" x .250 V-Blade, 5/8-7/8, Premium Dry	30-4255B
4.5" x .375 V	4.5" x .375 V-Blade, 5/8- 7/8, Premium Dry	30-455B
5" x .250 V	5" x .250 V-Blade,5/8-7/8, Premium Dry	30-520A
5" x .375 V	5" x .375 V-Blade, 5/8-7/8, Premium Dry	30-5375D
5" x .500 V	5" x .500 V-Blade, 5/8-7/8, Premium Dry	30-5535D
5.5" x .375 V	5.5" .375 V-Blade, 5/8-7/8, Premium Dry	30-6037
6" x .250 V	6" x .250 V-Blade, 5/8-7/8, Premium Dry	30-6250W
6" x .375 V	6" x .375 V-Blade, 5/8-7/8, Premium Dry	30-6375W
7" x .250 V	7" x .250 V-Blade, 5/8-7/8, Premium Dry	30-725
7" x .375 V	7" x .375 V-Blade, 5/8-7/8 Premium Dry	30-7375D
7" x .375 V-T	7" x .375 V-Blade, THREADED	30-735T
8" x .250 V	8" x .250 V Blade, 5/8-7/8, Premium Dry	30-825
8" x .375 V	8" x .375 V-Blade, 5/8-7/8, Premium Dry	30-8375D
8" x .500 V	8" x .500 V-Blade, 5/8-7/8, Premium Dry	30-855

### Bevel Blades

- Joint repair
- Use back to back for 3/4" wide cut
- Premium Quality Lasered Segments
- Dry or Wet Cut

Model/ Item	Description	Part #
8" Bevel	8" Bevel Blade, 3/8" thick, 1" arbor	Jd-8bev
12" Bevel	12" Bevel Blade, 3/8" thick, 1" arbor	Jd-12bev
14" Bevel	14" Bevel Blade, 3/8" thick, 1" arbor	Jd-14bev





## Diamond Blades

### Premium Thin Saw Blade - General Purpose


- General Purpose
- Premium quality - Lasered segments
- Dry or wet cut
- Medium Bond
- Cut Cured Concrete/ brick/ block
- Clean out joints



Model/Item	Description	Part #
4" x .080	4" x .080, 5/8 - 7/8 , general purpose	20-4SD
4.5" x .080	4.5" x .080, 5/8 - 7/8, general purpose	20-45SD
5" x .080	5" x .080, 5/8 - 7/8, general purpose	20-5SD
6" X .080	6" X .080, 5/8 - 7/8, general purpose	20-6SD
7" x .095	7" x .095, 5/8 - 7/8- universal, general purpose	20-7SD
8" x .095	8" x .095, 5/8 - 7/8- universal, general purpose	20-8SD
8" x .095	8" x .095, 1" w/ double pin holes, general purpose	21-8SD
10" x .095	10" x .095, 5/8 - 7/8 general purpose	20-10SD
10" x .095	10" x .095, 1" w/ pin, general purpose	21-10SD

### Premium 12" & 14" Blades

- Premium quality - Lasered segments
- Dry or wet cut
- Use with cut off saws, walk behinds, brick saws, etc.




Model/Item	Description	Part #
12" General Purpose	12" General Purpose 1" - 20 mm	21-1200
14" General Purpose	14" General Purpose 1" - 20 mm	21-1400
12" Green	12" Green Asphalt 1" - 20 mm	5297P
14" Green	14" Green/ Asphalt 1" - 20 mm	5199P
12" Cured	12" Cured Concrete 1" - 2 mm	5173P
14" Cured	14" Cured Concrete 1" - 20 mm	5175P
12" Seg Turbo	12" Brick Block 1" - 20 mm	5114P
14" Seg Turbo	14" Brick Block 1" - 20 mm	5116P

## Diamond Blades

### Premium Tuckpoint Blade (square cut)

- Dry or Wet Cut
- Premium quality - Lasered Segments
- Remove old Mortar
- Cut/repair/clean out joints
- Cut faux grout lines



Model/Item	Description	Part #
4" x .250	4" x .250, 5/8 - 7/8, 10 mm	1425-BPRD
4" x .375	4" x .375, 5/8 - 7/8, 10 mm	1437-BPRD
4.5" x .250	4.5" x .250, 5/8 - 7/8, 10 mm	1455-BPRD
4.5" x .375	4.5" x .375, 5/8 - 7/8, 10 mm	1450-BPRD
5" x .250	5" x .250, 5/8 - 7/8, 10 mm	1525-BPRD
5" x .375	5" x .375, 5/8 - 7/8, 10 mm	1537-BPRD
6" x .250	6" x .250, 5/8 - 7/8, 10 mm	1625-BPRD
7" x .250	7" x .250, 5/8 - 7/8-universal, 10 mm	1725-BPRD
7" x .375	7" x .375, 5/8 - 7/8, 10 mm	1737-BPRD
8" x .250	8" x .250, 5/8 - 7/8-universal, 10 mm	1825-BPRD
8" x .375	8" x .375, 5/8 - 7/8, 10 mm	1837-BPRD

### Premium Sandwich Tuckpoint Blade (square cut)

- Dry or Wet Cut
- Premium quality - Lasered Segments
- Remove Old Mortar
- Cuts 2X as fast with half the dust



Model/Item	Description	Part #
4" x .250	4" x .250, 5/8 - 7/8, 10 mm	1425-SAN
4" x .375	4" x .375, 5/8 - 7/8, 10 mm	1435-SAN
4.5" x .250	4.5" x .250, 5/8 - 7/8, 10 mm	1450-SAN
4.5" x .375	4.5" x .375, 5/8 - 7/8, 10 mm	1451-SAN
5" x .250	5" x .250, 5/8 - 7/8, 10 mm	1525-SAN
5" x .375	5" x .375, 5/8 - 7/8, 10 mm	1535-SAN
7" x .250	7" x .250, 5/8 - 7/8-universal, 10 mm	1725-SAN
7" x .375	7" x .375, 5/8 - 7/8, 10 mm	1735-SAN



Sold To:

Order No. \_\_\_\_\_  
Date \_\_\_\_\_  
P.O. No. \_\_\_\_\_  
Ordered By \_\_\_\_\_  
Taken By \_\_\_\_\_  
Req. Ship Date \_\_\_\_\_  
Customer Telephone No. \_\_\_\_\_  
Customer Fax No. \_\_\_\_\_

Ship To:

Ship Via:

[illegible]

Sub Total \_\_\_\_\_  
Sales Tax \_\_\_\_\_  
Freight \_\_\_\_\_  
Total Order \_\_\_\_\_

Toll Free: 877-847-6627   Office: 608.847.6627   Fax: 608.847.6027   [www.joedue.com](http://www.joedue.com)





**The following information applies to all orders:**

- All prices F.O.B. Factory.
- All accounts not paid within 30 days of invoice date are subject to 1.5% per month service charge.
- All returned items (new or used) must be accompanied by a detailed letter with an explanation of the reason for the return and an RGA # issued by Joe Due Blades & Equipment.
- All unused items must be returned for full credit within 30 days of invoice date (less all shipping costs).
- All used, damaged, incomplete items returned between 30 and 90 days are subject to a 20% restocking fee (less shipping costs).
- All items sent out on "trial" basis will be billed. They are to be returned within 30 days for full credit (return shipping responsibility of customer). If it is returned after 30 days but less than 90 days, it is subject to a 20% restocking fee. Any item returned after 90 days is not eligible for any credit.
- In the event that an item needs to be replaced, it will be billed and credit will be given upon the arrival of the malfunctioning item.
- All prices are subject to change without notice.
- Joe Due Blades & Equipment reserves the right to modify, alter and improve any part or parts without incurring any obligation to replace any part or parts previously sold with such modifications, altered or improved part or parts.

Toll Free: 877-847-6627 Office: 608.847.6627 Fax: 608.847.6027 [www.joedue.com](http://www.joedue.com)

